GRANDE

Grande Marble Look



MARAZZI



Grande Marble Look

Marble Look interprets the beauty of fine marbles in porcelain stoneware, turning it into large slabs that enhance depth and graphic richness. It unfolds through an elegant palette from lighter to more intense tones. Designed for walls, floors, furnishings, tops and backsplashes, it shapes refined spaces with strong aesthetic impact, visual balance and contemporary appeal. Puro Marazzi Antibacterial and 3D Ink make surfaces more high-performance and hygienic.

M8AD Grande Marble Look Golden White Rettificato 120x240cm



M0G3 Grande Marble Look Frappuccino Rettificato Lux 120x120cm



MMD5 Vivo Grano Rt 22x180cm
MGFS Grande Marble Look Patagonia Lux Rt 6Mm 160x320cm
M967 Rice Natural Lux 7x20cm



MGFS Grande Marble Look Patagonia Lux Rt 6Mm 160x320cm
MG0X Mystone Berici Beige Rt 120x120cm



MNGZ Grande Concrete Look Cementum Sand Natural Rt 6Mm Stuoiato 160x320cm
MGDM Grande Marble Look Taj Mahal Satin Rt 6Mm 160x320cm



M7GU Grande Resin Look Verde Chiaro Satin Rettificato 120x278cm
M7GD Grande Marble Look Verde Aver Lux Rt 6Mm 160x320cm





MGFS Grande Marble Look Patagonia Lux Rt 6Mm 160x320cm
MGDP Grande Marble Look Taj Mahal Lux Rt 6Mm 160x320cm

MEPC Grande Marble Look Tafu Rt 120x278cm



MAF4 Grande Marble Look Verde Borgogna Lux Rt 120x120cm



MEPC Grande Marble Look Tafu Rt 120x278cm



M7GF Grande Marble Look Calacatta Vena Vecchia Lux Rt 6Mm 160x320cm





MERS Grande Marble Look Onice Avorio Lux Rt 120x120cm
MEP3 Grande Marble Look Onice Avorio Lux Rt 120x278cm

MEX5 Grande Marble Look Onice Beige Lux Rt 60x120cm
MDUS Confetto Rosa 5x15cm
MDSW Confetto Bianco 5x15cm





MEMX Grande Marble Look Crema Marfil Lux Rt 120x120cm

MEPC Grande Marble Look Tafu Rt 120x278cm







MMAL Allmarble Raffaello Lux Rt 60x120cm
MEP2 Grande Marble Look Onice Beige Lux Rt 120x278cm

MMAL Allmarble Raffaello Lux Rt 60x120cm
MEP2 Grande Marble Look Onice Beige Lux Rt 120x278cm



M9D4 Grande Marble Look Onice Bianco Lux Rettificato 120x120cm
M9D1 Grande Marble Look Onice Bianco Lux Rettificato 120x278cm



M9DP Oltre Caramel Rt 22x180cm
M9CE Grande Marble Look Sodalite Blu Bookmatch B Lux Rt 6Mm 160x320cm
M9CD Grande Marble Look Sodalite Blu Bookmatch A Lux Rt 6Mm 160x320cm
M0TW Grande Concrete Look Smoke Natural Rt 6Mm 160x320cm



MALX Grande Resin Look Verderame Satin Rt 120x278cm
M9UW Cementum Ash Strutturato Rt 60x120cm

MEP6 Grande Marble Look Tafu Lux Rt 120x278cm
MELM Allmarble Tafu Lux Rt 60x120cm





M9D4 Grande Marble Look Onice Bianco Lux Rettificato 120x120cm
M9D1 Grande Marble Look Onice Bianco Lux Rettificato 120x278cm

M9DP Oltre Caramel Rt 22x180cm
M9CE Grande Marble Look Sodalite Blu Bookmatch B Lux Rt 6Mm 160x320cm
M9CD Grande Marble Look Sodalite Blu Bookmatch A Lux Rt 6Mm 160x320cm
M0TW Grande Concrete Look Smoke Natural Rt 6Mm 160x320cm



M7GD Grande Marble Look Verde Aver Lux Rt 6Mm 160x320cm
M6GS Allmarble Statuario Sat Rt 40x120cm



M9CE Grande Marble Look Sodalite Blu Bookmatch B Lux Rt 6Mm 160x320cm
M9CD Grande Marble Look Sodalite Blu Bookmatch A Lux Rt 6Mm 160x320cm
M7GR Grande Resin Look Bianco Satin Rettificato 120x278cm
M7AP Vero Natural Rt 22x180cm



M8AH Grande Marble Look Golden White Lux Rettificato 120x240cm





M0ZK Grande Marble Look Calacatta Extra Lux Rt 6Mm 160x320cm

M0FS Grande Marble Look Saint Laurent Rettificato 120x120cm




Grande Marble Look Index

Grande Marble Look

- Colorbody Fine Porcelain Stoneware

Altissimo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M0FP	Grande Marble Look Altissimo Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M0G1	Grande Marble Look Altissimo Rettificato Lux	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Satin	M0ZZ	Grande Marble Look Altissimo Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M106	Grande Marble Look Altissimo Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Satin	M36R	Grande Marble Look Altissimo Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37E	Grande Marble Look Altissimo Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M717	Grande Marble Look Altissimo Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	47,25	18	60,05	850,54
120x278cm	Lux	M71M	Grande Marble Look Altissimo Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	48,92	18	60,05	880,60



Calacatta Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MEMT	Grande Marble Look Calacatta Black Matt Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	MEN5	Grande Marble Look Calacatta Black Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	MEQ0	Grande Marble Look Calacatta Black Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Lux	MENX	Grande Marble Look Calacatta Black Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	49,61	18	60,05	892,91
160x320cm	Satin	MEPE	Grande Marble Look Calacatta Black Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	59,98	14	71,68	839,74
120x278cm	Satin	MEP8	Grande Marble Look Calacatta Black Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	45,22	18	60,05	813,99
160x320cm	Lux	METM	Grande Marble Look Calacatta Black Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Satin	METW	Grande Marble Look Calacatta Black Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Lux	MF8U	Grande Marble Look Calacatta Black Bookmatch A Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	77,56	14	71,68	1.085,90
160x320cm	Lux	MF8W	Grande Marble Look Calacatta Black Bookmatch B Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	68,58	14	71,68	960,09
160x320cm	Lux	MF8Y	Grande Marble Look Calacatta Black Bookmatch A Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Lux	MF8Z	Grande Marble Look Calacatta Black Bookmatch B Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	76,81	14	71,68	1.075,31




Calacatta Extra

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	M0Z4	Grande Marble Look Calacatta Extra Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	64,06	14	71,68	896,90
160x320cm	Lux	M0ZK	Grande Marble Look Calacatta Extra Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	58,42	14	71,68	817,89
120x240cm	Lux	M1JS	Grande_marble Look Calacatta Extra Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	43,20	20	57,60	863,96
160x320cm	Satin	M378	Grande Marble Look Calacatta Extra Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37P	Grande Marble Look Calacatta Extra Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x240cm	Satin	M1JM	Grande_marble Look Calacatta Extra Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	2,88	40,62	20	57,60	812,41
120x120cm	Natural	M29N	Grande Marble Look Calacatta Extra Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M2AJ	Grande Marble Look Calacatta Extra Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06


Calacatta Supreme

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MPGZ	Grande Marble Look Calacatta Supreme Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	58,99	14	71,68	825,90
160x320cm	Satin	MPH0	Grande Marble Look Calacatta Supreme Satin 3d Ink Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink		> 0.40	Class 1			>= 0.42	G	V2	1	5,12	72,40	14	71,68	1.013,57
160x320cm	Lux	MPGG	Grande Marble Look Calacatta Supreme Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Satin	MPHC	Grande Marble Look Calacatta Supreme Satin 3d Ink Rt 6mm Stuoiato	MM 06	·		Floor & Wall	3D Ink		> 0.40	Class 1			>= 0.42	G	V2	1	5,12	76,81	14	71,68	1.075,31



Calacatta Vena Vecchia

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	M7G5	Grande Marble Look Calacatta Vena Vecchia Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M7GF	Grande Marble Look Calacatta Vena Vecchia Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	62,04	14	71,68	868,53
160x320cm	Satin	M7S0	Grande Marble Look Calacatta Vena Vecchia Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M7S9	Grande Marble Look Calacatta Vena Vecchia Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x120cm	Natural	MEMH	Grande Marble Look Calacatta Vena Vecchia Matt Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	MEMV	Grande Marble Look Calacatta Vena Vecchia Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06



Capraia

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	M0ZP	Grande Marble Look Capraia Bookmatch A Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	58,47	14	71,68	818,64
160x320cm	Lux	M0ZQ	Grande Marble Look Capraia Bookmatch B Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	58,72	14	71,68	822,11
120x240cm	Lux	M1JU	Grande_marble Look Capraia Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	38,44	20	57,60	768,82
160x320cm	Lux	M37S	Grande Marble Look Capraia Bookmatch A Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37T	Grande Marble Look Capraia Bookmatch B Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x240cm	Satin	M1JP	Grande_marble Look Capraia Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	2,88	45,62	20	57,60	912,40
120x120cm	Natural	M29S	Grande Marble Look Capraia Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M2AK	Grande Marble Look Capraia Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06


Crema Marfil

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MEML	Grande Marble Look Crema Marfil Matt Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	MEMX	Grande Marble Look Crema Marfil Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	MEQ1	Grande Marble Look Crema Marfil Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	69,75	14	71,68	976,43
120x278cm	Lux	MENY	Grande Marble Look Crema Marfil Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	47,83	18	60,05	861,03
160x320cm	Satin	MEPF	Grande Marble Look Crema Marfil Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Satin	MEP9	Grande Marble Look Crema Marfil Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	50,05	18	60,05	900,95
160x320cm	Lux	METD	Grande Marble Look Crema Marfil Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Satin	METT	Grande Marble Look Crema Marfil Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	76,81	14	71,68	1.075,31




Elegant Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	M0Z5	Grande Marble Look Elegant Black Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	69,40	14	71,68	971,67
160x320cm	Lux	M0ZL	Grande Marble Look Elegant Black Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	80,99	14	71,68	1.133,82
160x320cm	Satin	M379	Grande Marble Look Elegant Black Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37Q	Grande Marble Look Elegant Black Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M718	Grande Marble Look Elegant Black Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	50,01	18	60,05	900,27
120x278cm	Lux	M71P	Grande Marble Look Elegant Black Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	48,76	18	60,05	877,64
120x120cm	Natural	M111	Grande Marble Look Elegant Black Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M11Q	Grande Marble Look Elegant Black Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06



Emperador

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	MCJS	Grande Marble Look Emperador Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	70,00	14	71,68	980,04
160x320cm	Lux	MCKX	Grande Marble Look Emperador Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	67,84	14	71,68	949,78
160x320cm	Satin	MCLS	Grande Marble Look Emperador Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	81,97	14	71,68	1.147,61
160x320cm	Lux	MCLY	Grande Marble Look Emperador Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	81,97	14	71,68	1.147,61
120x120cm	Natural	MEMR	Grande Marble Look Emperador Matt Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	MEN2	Grande Marble Look Emperador Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
120x278cm	Lux	MENW	Grande Marble Look Emperador Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	47,25	18	60,05	850,42



Frappuccino

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M0FR	Grande Marble Look Frappuccino Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M0G3	Grande Marble Look Frappuccino Rettificato Lux	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	M10D	Grande Marble Look Frappuccino Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	67,87	14	71,68	950,16
160x320cm	Lux	M37K	Grande Marble Look Frappuccino Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M714	Grande Marble Look Frapuccino Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	40,01	18	60,05	720,26
120x278cm	Lux	M71E	Grande Marble Look Frappuccino Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	50,01	18	60,05	900,27



Golden White

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M8AA	Grande Marble Look Golden White Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	24,34	24	34,56	584,18
120x240cm	Satin	M8AD	Grande Marble Look Golden White Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	2,88	37,18	20	57,60	743,51
120x120cm	Lux	M8AF	Grande Marble Look Golden White Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
120x240cm	Lux	M8AH	Grande Marble Look Golden White Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	42,65	20	57,60	852,95
160x320cm	Satin	M0ZY	Grande Marble Look Golden White Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	60,61	14	71,68	848,48
160x320cm	Lux	M105	Grande Marble Look Golden White Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	60,97	14	71,68	853,64
160x320cm	Satin	M36K	Grande Marble Look Golden White Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37D	Grande Marble Look Golden White Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M713	Grande Marble Look Golden White Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	45,65	18	60,05	821,79
120x278cm	Lux	M71D	Grande Marble Look Golden White Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	47,84	18	60,05	861,15

Lasa

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M0FM	Grande Marble Look Lasa Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M0FZ	Grande Marble Look Lasa Rettificato Lux	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Satin	M100	Grande Marble Look Lasa Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	70,14	14	71,68	981,92
160x320cm	Lux	M107	Grande Marble Look Lasa Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Satin	M36S	Grande Marble Look Lasa Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37F	Grande Marble Look Lasa Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M715	Grande Marble Look Lasa Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	46,76	18	60,05	841,72
120x278cm	Lux	M71K	Grande Marble Look Lasa Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	48,92	18	60,05	880,60

Onice Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MEQ3	Grande Marble Look Onice Avorio Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	58,00	14	71,68	812,05
120x278cm	Lux	MEP3	Grande Marble Look Onice Avorio Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	50,87	18	60,05	915,65
120x120cm	Lux	MERS	Grande Marble Look Onice Avorio Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	METN	Grande Marble Look Onice Avorio Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
60x120cm	Lux	MEX4	Grande Marble Look Onice Avorio Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	3	2,16	32,00	15	32,40	480,00



Onice Beige

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MEQ4	Grande Marble Look Onice Beige Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Lux	MEP2	Grande Marble Look Onice Beige Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	48,22	18	60,05	867,87
120x120cm	Lux	MERT	Grande Marble Look Onice Beige Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	METP	Grande Marble Look Onice Beige Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
60x120cm	Lux	MEX5	Grande Marble Look Onice Beige Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	3	2,16	31,64	15	32,40	474,59

Onice Bianco

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x278cm	Lux	M9D1	Grande Marble Look Onice Bianco Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	46,35	18	60,05	834,23
120x120cm	Lux	M9D4	Grande Marble Look Onice Bianco Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06



Onice Giada

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MEQ6	Grande Marble Look Onice Giada Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	70,35	14	71,68	984,89
120x278cm	Lux	MEP4	Grande Marble Look Onice Giada Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	49,25	18	60,05	886,45
120x120cm	Lux	MERU	Grande Marble Look Onice Giada Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	METQ	Grande Marble Look Onice Giada Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	76,81	14	71,68	1.075,31
60x120cm	Lux	MEX6	Grande Marble Look Onice Giada Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	3	2,16	32,00	15	32,40	480,00



Onice Nero

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MEQ5	Grande Marble Look Onice Nero Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	75,31	14	71,68	1.054,27
120x278cm	Lux	MEP5	Grande Marble Look Onice Nero Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	49,44	18	60,05	890,00
120x120cm	Lux	MERV	Grande Marble Look Onice Nero Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	METR	Grande Marble Look Onice Nero Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
60x120cm	Lux	MEX7	Grande Marble Look Onice Nero Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	3	2,16	33,30	15	32,40	499,46



Patagonia

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	MGFS	Grande Marble Look Patagonia Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V4	1	5,12	75,27	14	71,68	1.053,81
160x320cm	Lux	MNG2	Grande Marble Look Patagonia Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V4	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Lux	MP3Y	Grande Marble Look Patagonia Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V4	1	3,34	40,57	18	60,05	730,24
120x120cm	Lux	MP3Z	Grande Marble Look Patagonia Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V4	2	2,88	44,85	20	57,60	897,06
60x120cm	Lux	MP41	Grande Marble Look Patagonia Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V4	3	2,16	34,60	15	32,40	518,98



Quarzo Bluegrey

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
162x324cm	Lux	MALN	Grande Marble Look Quarzo Bluegrey Lux 12mm	MM 12		Frost proof, Resistance deep abrasion	Worktop								F	V2	1	5,25	144,40	9	47,24	1.299,57
162x324cm	Lux	MAMT	Grande Marble Look Quarzo Bluegrey Lux 12mm Stuoiato	MM 12			Worktop								F	V2	1	5,25	151,96	9	47,24	1.367,67
162x324cm	Satin	MAYS	Grande Marble Look Quarzo Bluegrey Satin 12mm	MM 12		Frost proof, Resistance deep abrasion	Worktop				Class 1			>= 0.42	G	V2	1	5,25	145,03	9	47,24	1.305,31
162x324cm	Satin	MAYW	Grande Marble Look Quarzo Bluegrey Satin 12mm Stuoiato	MM 12			Worktop				Class 1			>= 0.42	G	V2	1	5,25	151,96	9	47,24	1.367,67


Raffaello

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	M101	Grande Marble Look Raffaello Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	65,06	14	71,68	910,80
160x320cm	Lux	M108	Grande Marble Look Raffaello Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	63,31	14	71,68	886,36
160x320cm	Satin	M36T	Grande Marble Look Raffaello Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37G	Grande Marble Look Raffaello Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70



Saint Laurent

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M0FS	Grande Marble Look Saint Laurent Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	M0G4	Grande Marble Look Saint Laurent Rettificato Lux	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
160x320cm	Satin	M104	Grande Marble Look Saint Laurent Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M10C	Grande Marble Look Saint Laurent Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	79,54	14	71,68	1.113,56
160x320cm	Satin	M377	Grande Marble Look Saint Laurent Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37L	Grande Marble Look Saint Laurent Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M716	Grande Marble Look Saint Laurent Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	50,01	18	60,05	900,27
120x278cm	Lux	M71L	Grande Marble Look Saint Laurent Lux Rettificato	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	50,01	18	60,05	900,27



Sodalite Blu

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	M9CD	Grande Marble Look Sodalite Blu Bookmatch A Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	68,83	14	71,68	963,57
160x320cm	Lux	M9CE	Grande Marble Look Sodalite Blu Bookmatch B Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	68,39	14	71,68	957,39
160x320cm	Lux	M9FR	Grande Marble Look Sodalite Blu Bookmatch A Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M9FS	Grande Marble Look Sodalite Blu Bookmatch B Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Lux	MAH4	Grande Marble Look Sodalite Blu Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	46,49	18	60,05	836,91
120x120cm	Lux	MEN3	Grande Marble Look Sodalite Blu Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06



Statuario

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	M0FN	Grande Marble Look Statuario Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x240cm	Satin	M0FU	Grande Marble Look Statuario Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	2,88	39,39	20	57,60	787,85
120x120cm	Lux	M0G0	Grande Marble Look Statuario Rettificato Lux	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
120x240cm	Lux	M0G6	Grande Marble Look Statuario Rettificato Lux	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	43,20	20	57,60	863,96
120x240cm	Lux	MR0A	Grande Marble Look Statuario Bookmatch A Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	45,85	20	57,60	917,05
120x240cm	Lux	M0NW	Grande Marble Look Statuario Bookmatch B Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	2,88	43,20	20	57,60	863,96
160x320cm	Satin	M102	Grande Marble Look Statuario Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	71,62	14	71,68	1.002,66
160x320cm	Lux	M109	Grande Marble Look Statuario Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	68,71	14	71,68	961,89
160x320cm	Lux	M10E	Grande Marble Look Statuario Bookmatch A Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	67,22	14	71,68	941,05
160x320cm	Lux	M10F	Grande Marble Look Statuario Bookmatch B Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	66,90	14	71,68	936,63
160x320cm	Satin	M36U	Grande Marble Look Statuario Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37H	Grande Marble Look Statuario Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37M	Grande Marble Look Statuario Bookmatch A Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	M37N	Grande Marble Look Statuario Bookmatch B Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Satin	M712	Grande Marble Look Statuario Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	47,37	18	60,05	852,71
120x278cm	Lux	M71C	Grande Marble Look Statuario Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	46,44	18	60,05	835,97




Tafu

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MEMN	Grande Marble Look Tafu Matt Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Lux	MEMZ	Grande Marble Look Tafu Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
160x320cm	Lux	MEQ7	Grande Marble Look Tafu Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Lux	MEP6	Grande Marble Look Tafu Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	50,05	18	60,05	900,95
160x320cm	Satin	MEPH	Grande Marble Look Tafu Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	73,20	14	71,68	1.024,73
120x278cm	Satin	MEPC	Grande Marble Look Tafu Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	44,46	18	60,05	800,21
160x320cm	Lux	METE	Grande Marble Look Tafu Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Satin	METU	Grande Marble Look Tafu Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	76,81	14	71,68	1.075,31




Taj Mahal

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Satin	MGDM	Grande Marble Look Taj Mahal Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	72,35	14	71,68	1.012,86
160x320cm	Lux	MGDP	Grande Marble Look Taj Mahal Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	75,77	14	71,68	1.060,83
160x320cm	Lux	MNG3	Grande Marble Look Taj Mahal Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	76,81	14	71,68	1.075,31
160x320cm	Satin	MNG6	Grande Marble Look Taj Mahal Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	76,81	14	71,68	1.075,31
120x278cm	Lux	MP3X	Grande Marble Look Taj Mahal Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	39,51	18	60,05	711,22
120x120cm	Lux	MP40	Grande Marble Look Taj Mahal Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
60x120cm	Lux	MP42	Grande Marble Look Taj Mahal Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	3	2,16	34,60	15	32,40	518,98




Verde Aver

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
160x320cm	Lux	M7GD	Grande Marble Look Verde Aver Lux Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	5,12	79,85	14	71,68	1.117,90
160x320cm	Lux	M7S7	Grande Marble Look Verde Aver Lux Rt 6mm Stuoiato	MM 06	•		Floor & Wall								F	V2	1	5,12	77,76	14	71,68	1.088,70
120x278cm	Lux	M9D0	Grande Marble Look Verde Aver Lux Rettificato	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	1	3,34	49,99	18	60,05	899,73
120x120cm	Lux	M9D3	Grande Marble Look Verde / Green Lux Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall								F	V2	2	2,88	44,85	20	57,60	897,06
120x120cm	Natural	MANE	Grande Marble Look Verde Aver Matt Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	2	2,88	44,85	20	57,60	897,06
120x278cm	Satin	MANC	Grande Marble Look Verde Aver Rt	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V2	1	3,34	45,28	18	60,05	814,98
160x320cm	Satin	MAYY	Grande Marble Look Verde Aver Satin Rt 6mm	MM 06	•	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	69,82	14	71,68	977,50
160x320cm	Satin	MC0H	Grande Marble Look Verde Aver Satin Rt 6mm Stuoiato	MM 06	•		Floor & Wall				Class 1			>= 0.42	G	V2	1	5,12	81,89	14	71,68	1.146,51



Verde Borgogna

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MAF0	Grande Marble Look Verde Borgogna Matt Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,88	44,85	20	57,60	897,06
120x278cm	Satin	MAFP	Grande Marble Look Verde Borgogna Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	H	V3	1	3,34	45,65	18	60,05	821,67
160x320cm	Lux	MAFT	Grande Marble Look Verde Borgogna Lux Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	5,12	59,56	14	71,68	833,78
160x320cm	Satin	MAFX	Grande Marble Look Verde Borgogna Satin Rt 6mm	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	69,17	14	71,68	968,39
120x278cm	Lux	MAFJ	Grande Marble Look Verde Borgogna Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	1	3,34	46,91	18	60,05	844,44
120x120cm	Lux	MAF4	Grande Marble Look Verde Borgogna Lux Rt	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall								F	V3	2	2,88	44,85	20	57,60	897,06
160x320cm	Satin	MAMM	Grande Marble Look Verde Borgogna Satin Rt 6mm Stuoiato	MM 06	·		Floor & Wall				Class 1			>= 0.42	G	V3	1	5,12	77,76	14	71,68	1.088,70
160x320cm	Lux	MAMG	Grande Marble Look Verde Borgogna Lux Rt 6mm Stuoiato	MM 06	·		Floor & Wall								F	V3	1	5,12	77,76	14	71,68	1.088,70



Calacatta Extra/imperiale

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x30cm	Satin	M6S0	Grande Marble Look Waterfall Calacatta Extra Imperiale Satin	MM 06	·	Frost proof, Resistance deep abrasion	Wall										4	0,36	6,00	64	23,04	384,00
30x30cm	Satin	M6S3	Grande Marble Look Waterfall Imperiale Calacatta Extra Satinato	MM 06	·	Frost proof, Resistance deep abrasion	Wall										4	0,36	6,00	64	23,04	384,00
30x30cm	Lux	M6S5	Grande Marble Look Waterfall Calacatta Extra Imperiale Lux	MM 06	·	Frost proof, Resistance deep abrasion	Floor & Wall										4	0,36	6,00	64	23,04	384,00



G. White/saint Laurent

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x30cm	Satin	M6RW	Grande Marble Look Waterfall G.white Saint Laurent Satin	MM 06	·	Frost proof, Resistance deep abrasion	Wall										4	0,36	6,00	64	23,04	384,00
30x30cm	Matt	M6S7	Grande Marble Look Waterfall Golden White Satin Saint Laurent Lux	MM 06	·	Frost proof, Resistance deep abrasion	Wall										4	0,36	6,00	64	23,04	384,00

Legend

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications

ISO 14001 | ISO 50001 | ISO 45001 | ISO 9001 | Green Building Council | GPP

EPD Italy | ISO 17889-1 | Greenguard Certification | LEED Credits | NSF | NSF

QBUPEC D+ | FDES | Declare | Declare | HPD | CCC

CE 001MRZI | UKCA 001MRZUK | SASO | MOCA | KOSHER

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.

PDF GENERATED AUTOMATICALLY ON 29/07/2026



MARAZZI